

PNR-5116

Home | Security | Recording | NVRs

PNR-5116
Network Video Recorder, 16xIP, 1920x1080, 320fps,
1TB, H.264, MPEG-4, M-JPEG

Art-Nr. 202563



Main Features

16 channel Full HD real time NVR
Video compressions: H.264, MPEG-4, MJPEG
Operation via Inex Client
Management Software included
Cascadable up to 8 units (128 channels)
Compatible to analogue eneo D series DVRs

Management of PNR and D series (256 DVRs)
Digital PTZ, multiview display
Data export via client software
Up to 2 Sata HDD intern
ONVIF compatible

Specifications

Series	eneo PNR
Channels total	16 (max.)
IP channels	16
Video inputs (amount)	-
Compression standard	H.264, M-JPEG, MPEG-4
Operation system	Linux embedded
Max. recording resolution	1920x1080
Max. recording rate	320 fps
Display	no
Number of HDD slots	2x SATA
Harddisk capacity (internal)	1 TB
Max. harddisk capacity (internal)	4 TB
Recording	permanent, event

PNR-5116

(Continuation Specifications)

Monitor outputs	no
Audio input	no
Audio output	no
Export of images or clip	via client software
Network	10/100/1000 Base-Tx, RJ45
Network protocols	DHCP
Control units (external)	no
Interfaces external storage	eSATA
USB ports	1x USB 2.0
Remote configuration	remote software, Mobile Client iPhone, iPad
Password protection	yes
Supply voltage	100 to 240VAC, 50/60 Hz
Power consumption	30W
Integrated writer	no
Menu languages	German, English, French, Spanish, Italian, Russian, Polish, Czech, Dutch, Hungarian
ONVIF	yes
Dimensions (HxWxD)	95x220x295
Weight	3.2kg
Parts supplied	installation CD, manual
Certificates	CE

Optional accessories

205198	HDD-2000SATA-WD	Hard Disk Drive 2TB, SATA, for eneo BLR, DLR, DMR, HDR, PNR Series, expansion
72999	DMR-104/EXTENS	External Harddisk Extension (4xSATA), eSATA Connector, 19"

